


# Chapter 8

## Mapping a Conceptual Design into a Logical Design



Addison-Wesley  
is an imprint of

PEARSON

# Chapter 8 Outline

- Relational Database Design Using ER-to-Relational Mapping
- Mapping EER Model Constructs to Relations



# Relational Database Design by ER- and EER-to- Relational Mapping


- **Design a relational database schema**
  - Based on a conceptual schema design
- Seven-step algorithm to convert the basic ER model constructs into relations
- Additional steps for EER model



# Relational Database Design Using ER-to-Relational Mapping

**Figure 8.1**

The ER conceptual schema diagram for the COMPANY database.



## EMPLOYEE

Fname	Minit	Lname	<u>Ssn</u>	Bdate	Address	Sex	Salary	Super_ssn	Dno
-------	-------	-------	------------	-------	---------	-----	--------	-----------	-----

## DEPARTMENT

Dname	<u>Dnumber</u>	Mgr_ssn	Mgr_start_date
-------	----------------	---------	----------------

## DEPT\_LOCATIONS

<u>Dnumber</u>	<u>Dlocation</u>
----------------	------------------

## PROJECT

Pname	<u>Pnumber</u>	<u>Plocation</u>	Dnum
-------	----------------	------------------	------

## WORKS\_ON

<u>Essn</u>	<u>Pno</u>	Hours
-------------	------------	-------

## DEPENDENT

<u>Essn</u>	<u>Dependent_name</u>	Sex	Bdate	Relationship
-------------	-----------------------	-----	-------	--------------

**Figure 8.2**

Result of mapping the COMPANY ER schema into a relational database schema.

# ER-to-Relational Mapping Algorithm

- COMPANY database example
  - Assume that the mapping will create tables with simple single-valued attributes
- Step 1: Mapping of Regular Entity Types
  - For each regular entity type, create a relation  $R$  that includes all the simple attributes of  $E$
  - Called **entity relations**
    - Each tuple represents an entity instance

# ER-to-Relational Mapping Algorithm (cont'd.)

- Step 2: Mapping of Weak Entity Types
  - For each weak entity type, create a relation  $R$  and include all simple attributes of the entity type as attributes of  $R$
  - Include primary key attribute of owner as foreign key attributes of  $R$



# ER-to-Relational Mapping Algorithm (cont'd.)

**Figure 8.3**

Illustration of some mapping steps.

(a) *Entity* relations

after step 1.

(b) Additional *weak entity*

relation after step 2.

(c) *Relationship* relation

after step 5.

(d) Relation representing

multivalued attribute

after step 6.

(a) **EMPLOYEE**

Fname	Minit	Lname	<u>Ssn</u>	Bdate	Address	Sex	Salary
-------	-------	-------	------------	-------	---------	-----	--------

**DEPARTMENT**

Dname	<u>Dnumber</u>
-------	----------------

**PROJECT**

Pname	<u>Pnumber</u>	Plocation
-------	----------------	-----------

(b) **DEPENDENT**

<u>Essn</u>	<u>Dependent_name</u>	Sex	Bdate	Relationship
-------------	-----------------------	-----	-------	--------------

(c) **WORKS\_ON**

<u>Essn</u>	<u>Pno</u>	Hours
-------------	------------	-------

(d) **DEPT\_LOCATIONS**

<u>Dnumber</u>	<u>Dlocation</u>
----------------	------------------



# ER-to-Relational Mapping Algorithm (cont'd.)

- Step 3: Mapping of Binary 1:1 Relationship Types
  - For each binary 1:1 relationship type
    - Identify relations that correspond to entity types participating in  $R$
  - Possible approaches:
    - **Foreign key approach**
    - **Merged relationship approach**
    - **Crossreference or relationship relation approach**



# ER-to-Relational Mapping Algorithm (cont'd.)

- Step 4: Mapping of Binary 1: $N$  Relationship Types
  - For each regular binary 1: $N$  relationship type
    - Identify relation that represents participating entity type at  $N$ -side of relationship type
    - Include primary key of other entity type as foreign key in  $S$
    - Include simple attributes of 1: $N$  relationship type as attributes of  $S$



# ER-to-Relational Mapping Algorithm (cont'd.)

- Alternative approach
  - Use the **relationship relation** (cross-reference) option as in the third option for binary 1:1 relationships



# ER-to-Relational Mapping Algorithm (cont'd.)

- Step 5: Mapping of Binary  $M:N$  Relationship Types
  - For each binary  $M:N$  relationship type
    - Create a new relation  $S$
    - Include primary key of participating entity types as foreign key attributes in  $S$
    - Include any simple attributes of  $M:N$  relationship type



# ER-to-Relational Mapping Algorithm (cont'd.)

- Step 6: Mapping of Multivalued Attributes
  - For each multivalued attribute
    - Create a new relation
    - Primary key of  $R$  is the combination of  $A$  and  $K$
    - If the multivalued attribute is composite, include its simple components



# ER-to-Relational Mapping Algorithm (cont'd.)

- Step 7: Mapping of  $N$ -ary Relationship Types
  - For each  $n$ -ary relationship type  $R$ 
    - Create a new relation  $S$  to represent  $R$
    - Include primary keys of participating entity types as foreign keys
    - Include any simple attributes as attributes



# Discussion and Summary of Mapping for ER Model Constructs

**Table 8.1** Correspondence between ER and Relational Models

ER MODEL	RELATIONAL MODEL
Entity type	<i>Entity</i> relation
1:1 or 1:N relationship type	Foreign key (or <i>relationship</i> relation)
M:N relationship type	<i>Relationship</i> relation and <i>two</i> foreign keys
<i>n</i> -ary relationship type	<i>Relationship</i> relation and <i>n</i> foreign keys
Simple attribute	Attribute
Composite attribute	Set of simple component attributes
Multivalued attribute	Relation and foreign key
Value set	Domain
Key attribute	Primary (or secondary) key

# Discussion and Summary of Mapping for ER Model Constructs (cont'd.)

- In a relational schema relationship, types are not represented explicitly
  - Represented by having two attributes *A* and *B*: one a primary key and the other a foreign key





# Mapping EER Model Constructs to Relations

- Extending ER-to-relational mapping algorithm



# Mapping of Specialization or Generalization


- Step 8: Options for Mapping Specialization or Generalization (see pages 294-295)
  - **Option 8A: Multiple relations—superclass and subclasses**
    - For any specialization (total or partial, disjoint or overlapping)
  - **Option 8B: Multiple relations—subclass relations only**
    - Subclasses are total
    - Specialization has disjointedness constraint

# Mapping of Specialization or Generalization (cont'd.)

- **Option 8C: Single relation with one type attribute**
  - Type or discriminating attribute indicates subclass of tuple
  - Subclasses are disjoint
    - Potential for generating many NULL values if many specific attributes exist in the subclasses
- **Option 8D: Single relation with multiple type attributes**
  - Subclasses are overlapping
  - Will also work for a disjoint specialization

# Mapping of Shared Subclasses (Multiple Inheritance)

- Apply any of the options discussed in step 8 to a shared subclass



**Figure 8.6**

Mapping the EER specialization lattice in Figure 7.26 using multiple options.


# Mapping of Categories (Union Types)

- Step 9: Mapping of Union Types (Categories)
  - Defining superclasses have different keys
  - Specify a new key attribute
    - **Surrogate key**



### Figure 8.7

Mapping the EER categories (union types) in Figure 7.26 to relations.



# Summary

- Map conceptual schema design in the ER model to a relational database schema
  - Algorithm for ER-to-relational mapping
  - Illustrated by examples from the COMPANY database
- Include additional steps in the algorithm for mapping constructs from EER model into relational model

