

Software Quality Assurance and Testing

Lecture - 01




ABDUS SATTER
LECTURER
INSTITUTE OF INFORMATION TECHNOLOGY
UNIVERSITY OF DHAKA



INTRODUCTION TO SOFTWARE TESTING

What is a computer bug?

- In 1947 Harvard University was operating a room-sized computer called the Mark II.
 - mechanical relays
 - glowing vacuum tubes
 - technicians program the computer by reconfiguring it
 - Technicians had to change the occasional vacuum tube.
- A moth flew into the computer and was zapped by the high voltage when it landed on a relay.
- Hence, the first computer bug!



Bugs a.k.a. ...



- Defect
- Fault
- Problem
- Error
- Incident
- Anomaly
- Variance
- Failure
- Inconsistency
- Product Anomaly
- Product Incidence
- Feature :-)

Defective Software



- We develop programs that contain defects
 - How many? What kind?
- Hard to predict the future, however...
it is highly likely, that the software we (including you!) will develop in the future will not be significantly better.

Sources of Problems



- **Requirements Definition:** Erroneous, incomplete, inconsistent requirements.
- **Design:** Fundamental design flaws in the software.
- **Implementation:** Mistakes in chip fabrication, wiring, programming faults, malicious code.
- **Support Systems:** Poor programming languages, faulty compilers and debuggers, misleading development tools.

Sources of Problems (Cont'd)



- **Inadequate Testing of Software:** Incomplete testing, poor verification, mistakes in debugging.
- **Evolution:** Sloppy redevelopment or maintenance, introduction of new flaws in attempts to fix old flaws, incremental escalation to inordinate complexity.

Adverse Effects of Faulty Software



- **Communications:** Loss or corruption of communication media, non delivery of data.
- **Space Applications:** Lost lives, launch delays.
- **Defense and Warfare:** Misidentification of friend or foe.

Adverse Effects of Faulty Software (Cont'd)



- **Transportation:** Deaths, delays, sudden acceleration, inability to brake.
- **Safety-critical Applications:** Death, injuries.
- **Electric Power:** Death, injuries, power outages, long-term health hazards (radiation).

Adverse Effects of Faulty Software (Cont'd)



- **Money Management:** Fraud, violation of privacy, shutdown of stock exchanges and banks, negative interest rates.
- **Control of Elections:** Wrong results (intentional or non-intentional).
- **Control of Jails:** Technology-aided escape attempts and successes, accidental release of inmates, failures in software controlled locks.
- **Law Enforcement:** False arrests and imprisonments.

Northeast Blackout (August 2003)



It was the worst power system failure in North American history. The failure involved loss of electrical power to **50 million customers, forced shutdown of 100 power plants and economic losses estimated at \$6 billion.** The bug was reportedly in one utility company's vendor-supplied power monitoring and management system. The failures occurred when multiple systems trying to **access the same information at once got the equivalent of busy** signals. The software should have given one system precedent. The error was found and corrected after examining **millions of lines of code.**

Definition of Software Testing



Software testing is the process of executing a software system to determine whether it matches its specification and executes in its intended environment.

Software Testing



- Testing is the process of executing a program with the intent of finding errors. - Myers [2]
- A successful test is one that uncovers an as-yet-undiscovered error. - Myers [2]
- Testing can show the presence of bugs but never their absence. - W. Dijkstra [125]

SOFTWARE TESTING— MYTHS AND FACTS




- Myth-1: Testing is a single phase in SDLC .
- Myth-2: Testing is easy.
- Myth-3: Software development is worth more than testing.
- Myth-4: Complete testing is possible.
- Myth-5: Testing starts after program development.
- Myth-6: The purpose of testing is to check the functionality of the software
- Myth-7: Anyone can be a tester.

GOALS OF SOFTWARE TESTING



- **Short-term or immediate goals**
 - Bug discovery
 - Bug prevention
- **Long-term goals**
 - Quality
 - Customer satisfaction
 - Risk management
- **Post-implementation Goals**
 - Reduced maintenance cost
 - Improved testing process




PSYCHOLOGY FOR SOFTWARE TESTING



- Testing is the process of demonstrating that there are no errors.
- Testing is the process of executing a program with the intent of finding errors.

MODEL FOR SOFTWARE TESTING




Why Can't Every Bug be Found?



- **Exhaustive software testing is not feasible**
 - Too many possible paths.
 - Too many possible inputs.
 - Too many possible user environments.

Too Many Possible Paths



Too Many Possible Inputs





- Programs take input in a variety of ways: mouse, keyboard, and other devices.
- Must test Valid and Invalid inputs.
- Most importantly, there are an infinite amount of sequences of inputs to be tested.

Too Many Possible User Environments



- Difficult to replicate the user's combination of hardware, peripherals, OS, and applications.
- Impossible to replicate a thousand-node network to test networking software.



Thank You



END OF CHAPTER